

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Market Twenty 4 Seven (BSRB)

SFE 5081 258483 11/20/2025 12:00:00 PM

BSRB

Last Routine: 12/10/2024

109 Zina Pitcher Pl.

ZIP CODE NOT FOUND

Person In Charge (PIC):

Establishment Phone:

INSPECTION TYPE:

Routine Inspection

Manager Certified Yes

License Posted Yes

Antichoking Poster N/A

CO2 Tanks Secured No

Violation

Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
----------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 11/20/2025 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Entire establishment

4-601.11 Core		(A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be clean to sight and touch. (Pf) (B) The FOOD-CONTACT SURFACES of cooking EQUIPMENT and pans shall be kept free of encrusted grease deposits and other soil accumulations. (C) NonFOOD-CONTACT SURFACES of EQUIPMENT shall be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.		02/18/26
------------------	--	---	--	----------

Item(s): Non-food contact surface(s)

Problem(s): Soiled

Correction(s): Keep clean.

11/20/2025		Nonfood-contact surfaces of equipment shall be cleaned and sanitized to sight and touch.		
------------	--	--	--	--

Observed the following nonfood-contact surfaces of equipment throughout the establishment that are in need of cleaning:

- 1) Interior cavity of microwave has food debris buildup.
- 2) Interior cavity of coffee/beverage machine has excessive debris accumulation (see attached photo).
- 3) Exterior portion of spigot on the Coca-Cola ICEE machine has residue buildup.

Correct by cleaning and sanitizing the above nonfood-contact surfaces of equipment to sight.

Storage Room

3-305.11 Core		FOOD shall be protected from contamination by storing the FOOD: (1) In a clean, dry location; (2) Where it is not exposed to splash, dust, or other contamination; and (3) At least 15 cm (6 inches) above the floor, unless otherwise approved.		02/18/26
------------------	--	---	--	----------

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

Storage Room

Item(s): Food item(s) in storage
Problem(s): Stored on floor or less than 6 inches above floor
Correction(s): Store at least 6 inches above the floor.

11/20/2025 Foods shall be protected from contamination by storing them at least 6 inches off the floor.
 Observed several boxes of foods (containing coffee and shelf stable creamers) stored directly on the floor (see attached photo).
 Correct by storing foods at least 6 inches off the ground to protect them from contamination.

4-903.11 Core		Cleaned EQUIPMENT and UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored in an approved manner and location.	02/18/26	
------------------	--	--	----------	--

Item(s): Single-service/single-use article(s)
Problem(s): Stored on floor or less than 6 inches above floor
Correction(s): Store at least 6 inches above the floor.

11/20/2025 Clean utensils, equipment and single-service items shall be stored at least 6 inches off the ground to protect them from splash, debris, and other contaminants.
 Observed several boxes of single-service items stored directly on the floor (see attached photo).
 Correct by keeping single service items covered/protected, and store them at least 6 inches off the ground to protect them from sources of contamination.

Closing Comments:

CO2 tanks located inside the cabinet underneath the ICEE machine and inside the storage room need to be secured (see photo).

Report was emailed to person in charge and Market Twenty 4 Seven management team on 11/20/2025.

Person in charge (Name and Title)

Inspected By (Name and Title)



Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.