University of Michigan EH&S Ann Arbor, MI 48109-1010 (734)647-1142

### FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

The Pantry at Baits **Baits Community Center** 1440 Hubbard Rd.

Ann Arbor, MI 48109

Person In Charge (PIC): Ann Heiden

INSPECTION TYPE: Routine Inspection

Violation

Category Repeat Violation Description/Remarks/Correction Schedule Establishment Phone: (734) 764-1121

076214

Manager Certified License Posted Antichoking Poster CO2 Tanks Secured

5081

SFE

Yes Yes N/A N/A

Correct By

3/12/2019 9:15:00 AM

Last Routine: 9/12/2018

Corrected

This Facility was inspected by David Peters, a representative from University of Michigan, on 3/12/2019 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

## **Pantry**

4-501.11 Core

EQUIPMENT shall be maintained in a state of repair and condition that meets the

06/10/19

06/10/19

requirements of the code.

Item(s): equipment Problem(s): In poor repair Correction(s): Repair/replace.

3/12/2019

THERE ARE WHAT APPEARS TO BE HARD WATER STAINS/CRYSTALS AROUND THE BASE, FRONT, AND UNDER/ALONG THE WATER LINE BEHIND THE F'REAL SHAKE & SMOOTHIE MACHINE. THE MACHINE APPEARS TO BE OPERATIONAL, BUT THERE ARE NO FROZEN SHAKE AND SMOOTHIE CUPS IN THE UNDERCOUNTER FREEZER. IS THE F'REAL MACHINE OUT-OF-ORDER, LEAKING, OR OTHERWISE IN NEED OF REPAIR? OTHERWISE, CLEAN ALL THE AREAS OF THE MACHINE AND COUNTER TO REMOVE THE HARD WATER STAINS/CRYSTALS.

Core

4-602.12 Repeat (A) The FOOD-CONTACT SURFACES of cooking and baking EQUIPMENT shall be cleaned at least every 24 hours. This section does not apply to hot oil cooking and filtering EQUIPMENT if it is cleaned as specified in Subparagraph 4-602.11(D)(6). (B) The cavities and door seals of microwave ovens shall be cleaned at least every 24

hours by using the manufacturer's recommended cleaning procedure.

Item(s): Microwave oven door seals and cavities

Location: Microwave oven(s) Problem(s): Not cleaned

Correction(s): Clean as required above.

3/12/2019

THE INTERIOR CAVITY AND CEILING OF THE MICROWAVE OVEN NEEDS CLEANING TO REMOVED FOOD SOILS.

# SFE 5081 076214 The Pantry at Baits

3/12/2019 9:52:04 AM

Category Repeat Violation Description/Remarks/Correction Schedule Correct By Corrected

#### **Pantry**

4-903.11 Core Cleaned EQUIPMENT and UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored in an approved manner and location.

03/12/19

Item(s): Single-service/single-use article(s)

Problem(s): Stored with food-contact portion exposed

3/12/2019 3/12/2019

Correction(s): Store inverted.

3/12/2019

OBSERVED SINGLE-USE COMPOSTABLE FORKS STORED WITH THEIR FOOD CONTACT SURFACES EXPOSED IN THE CADDY ON THE COUNTER NEXT TO THE F'REAL MACHINE. THE FORKS WERE FLIPPED OVER/INVERTED SO ONLY THE HANDLES WERE STICKING UP OUT OF THE STORAGE CADDY. CORRECTED.

## **Closing Comments:**

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at http://ehs.umich.edu/campus-life-safety/food-safety/inspections/

Person in charge (Name and Title)

Inspected By (Name and Title)

PALE, REHS

David Peters

This signature does not imply agreement or disagreement with any violation noted.