

| AFETY ENGINE | ERING | | | | | | | |
|--|--|--|---|---------|-----|--|--|--|
| Machine Owner | Worksite | | ver transmissio closed) | | | | | |
| Surveyor's Name | Date of Survey | Rotating chuck | / practice | placard | | | | |
| Supervisor's Name | Room Name or No. | | | | | | | |
| Machine Manufacture | r | Work light with protective cover | | | | | | |
| Model # | Serial No. | | | 9 | | | | |
| Supply Voltage | No. of Supply Phases (Circle One) 1 or 3 | Adjustment | Emerg Stop S | | | | | |
| Horsepower | Full Load Amps | Securely anchored to floor A non-skid working surface is recommended at the operator's position | floor (not shown) A non-skid working surface is recommended at the | | | | | |
| | | | Yes | No | N/A | | | |
| 1. Is the power transmission system properly guarded? | | | | | | | | |
| 2. Is the draw bar properly covered? | | | | | | | | |
| 3. Is a red, mushroom shaped E-Stop installed that controls the spindle and the table drives? | | | | | | | | |
| 4. Does the machine | | | | | | | | |
| 5. Are the electrical system, wires, and plug ends compliant? | | | | | | | | |
| 6. Is the work light (if installed) properly protected against impact and shatter resistant? | | | | | | | | |
| 7. Can the machine be securely isolated from its power source? | | | | | | | | |
| 8. Is the machine se | | | | | | | | |
| 9. Does the machine floor? | e have a high-friction coati | ng at the operator's position on the | | | | | | |

| Notes | | | |
|-------|--|--|--|
| | | | |
| | | | |
| | | | |

10. Does it have a system that will prevent automatic restart after power outage? (Power outage protection)