

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

BSRB Market 24/7

SFE 5081

10/22/2021 12:30:00 PM

BSRB

Last Routine:

109 Zina Pitcher Way

Ann Arbor, MI 48109

Person In Charge (PIC): Joe Sak

Establishment Phone:

INSPECTION TYPE:

Routine Inspection

Manager Certified

Yes

License Posted

Yes

Antichoking Poster

N/A

CO2 Tanks Secured

N/A

Violation

Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
----------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 10/22/2021 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Coffee Station

4-501.11 Core	EQUIPMENT shall be maintained in a state of repair and condition that meets the requirements of the code.	04/01/22
------------------	---	----------

Item(s): equipment

Problem(s): In poor repair

Correction(s): Repair/replace.

10/22/2021 Equipment shall be maintained in a state of good repair.

Observed the following equipment items in need of repair:

1) Message on Starbucks coffee machine states that cleaning/rinsing cycle needed

Correct as soon as possible by repairing the above equipment items throughout the facility.

4-602.13 Core	NonFOOD-CONTACT SURFACES of EQUIPMENT shall be cleaned at a frequency necessary to preclude accumulation of soil residues.	04/01/22
------------------	--	----------

Item(s): Nonfood contact surface(s)

Problem(s): With accumulation of debris

Correction(s): Keep clean.

10/22/2021 Nonfood-contact surfaces of equipment shall be cleaned to sight and touch on a regular basis to prevent harborage conditions, and accumulation of food, debris, and other contaminants.

Observed the following nonfood-contact surfaces of equipment throughout the establishment in need of cleaning:

1) Drip tray underneath Starbucks coffee machine is soiled with excessive liquid accumulation

2) Interior of Starbucks coffee machine is soiled with excessive coffee grounds

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

Coffee Station

Correct as soon as possible by cleaning nonfood-contact surfaces of equipment to sight and touch on a regular basis to prevent harborage conditions and accumulation of food, debris, and other contaminants.

6-501.12 (A) PHYSICAL FACILITIES shall be cleaned as often as necessary to keep them 04/01/22
Core clean.
(B) Except spill cleanup, cleaning shall be done during periods when the least amount of FOOD is exposed such as after closing.

Item(s): Physical facilities/structures floors

Problem(s): With accumulation of debris

Correction(s): Keep clean.

10/22/2021 Physical facilities shall be maintained clean to sight and touch.

Observed the following areas in need of cleaning throughout the facility:

1) Floor, specifically around garbage can underneath Starbucks coffee machine, is soiled with excessive coffee grounds

Correct as soon as possible by cleaning the above areas throughout the facility and maintaining them clean to sight and touch at all times.

Closing Comments:

Joint routine inspection conducted by Nonda Mihas and David Peters (REHS).

Signature unable to obtained as this location is unstaffed,, however monitored by security cameras at all times. Report was emailed to Joe Sak on 10/25/2021.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at <http://ehs.umich.edu/campus-life-safety/food-safety/inspections/>

Person in charge (Name and Title)

Inspected By (Name and Title)

N. Mihas, MSES

Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.