

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Twigs at Oxford
Goddard House at Oxford
619 Oxford Rd.
Ann Arbor, MI 48104-2634
Person In Charge (PIC): John Pavlic

SFE 5081 070677 10/6/2022 10:45 am

Establishment Phone: (734) 763-7200

INSPECTION TYPE:

Follow Up Critical

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

Corrected

3-501.18 Self s Self service area		A FOOD specified in ¶ 3-501.17(A) or (B) shall be discarded if it: (1) Exceeds the temperature and time combination specified in ¶ 3-501.17(A), except time that the product is frozen; (P) (2) Is in a container or PACKAGE that does not bear a date or day; (P) or (3) Is appropriately marked with a date or day that exceeds a temperature and time combination as specified in ¶ 3-501.17(A). (P)	04/20/22	04/20/22
---	--	--	----------	----------

Item(s):	Ready to eat, potentially hazardous food(s)		4/20/2022
Location:	2-door cooler(s)		4/20/2022
Problem(s):	Beyond consume by date		
Correction(s):	Discard.		

4/20/2022 Potentially hazardous foods shall be discarded if they are beyond 7 days from preparation date.

Observed two containers of diced deli meats in the two door cooler under the toasters in the self service area with date marking of 4/11-4/17 that were still in use today (4/20)

CORRECTED ON SITE - PIC discarded the out of date deli meats

5-402.11 Dish Dishwashing Area		Except as otherwise allowed, a direct connection may not exist between the SEWAGE system and a drain originating from EQUIPMENT in which FOOD, portable EQUIPMENT, or UTENSILS are placed. (P)	04/20/22	10/06/22
--------------------------------------	--	--	----------	----------

Item(s):	Backflow/back-siphonage prevention device(s)		10/6/2022 10/6/2022
-----------------	--	--	------------------------

4/20/2022 Direct connection may not exist between sewage system and drain line of equipment in which utensils are placed.

Observed drainage pipe for the dishmachine fallen into the floor sink, causing a cross connection.


10/6/2022 Correct as soon as possible by raising and securing the drainage pipe to create a 1 inch air gap
CORRECTED - There is no cross connection between drainage pipe for the dish machine and floor sink.

Critical / Non-crit	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
------------------------	--------	---	------------	-----------

Closing Comments:

All priority items have been addressed/corrected.

Person in charge (Name and Title)



Inspected By (Name and Title)



This signature does not imply agreement or disagreement with any violation noted.

David Peters