

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Rackham 4th Floor Kitchen
Rackham Graduate School
915 E. Washington
ZIP CODE NOT FOUND

SFE 5081 066752 1/18/2023 1:00:00 PM
Last Routine: 05/09/2022

Person In Charge (PIC): Susan Campos

Establishment Phone: (734) 615-1995

INSPECTION TYPE:

Routine Inspection

Manager Certified	N/A
License Posted	Yes
Antichoking Poster	Yes
CO2 Tanks Secured	N/A

Violation

Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
----------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 01/18/2023 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Dishwashing Area

5-205.15 Core	A PLUMBING SYSTEM shall be: (A) Repaired according to LAW; (P) and (B) Maintained in good repair.	01/01/24
------------------	---	----------

Item(s): Plumbing system water line(s)
Location: dish machine(s)
Problem(s): Not maintained
Correction(s): Maintain in good repair

1/18/2023 The plumbing system shall be maintained in a state of good repair.
Observed leak around atmospheric vacuum breaker on dish machine (see attached photo).
Correct as soon as possible by repairing leak.

Closing Comments:

ANSUL system for ventilation hood above stovetop and fire extinguisher are due to be serviced (see attached photos).

All core items shall be addressed/corrected as soon as possible, which will be reinspected at the next routine inspection.

Signature was unable to be obtained due to error messages within software.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at <http://ehs.umich.edu/campus-life-safety/food-safety/inspections/>

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

Person in charge (Name and Title)

Inspected By (Name and Title)



Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.