University of Michigan EH&S Ann Arbor, MI 48109-1010 (734)647-1142

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Einstein Bros. Bagels SFE 5081 056609 2/9/2023 10:15:00 AM

UM Hospital

1500 E. Medical Center Dr.

Ann Arbor, MI 48109

Person In Charge (PIC): Jeff Hasho Establishment Phone: (734) 936-5100

INSPECTION TYPE:

Routine Inspection

Manager Certified
Yes
License Posted
Yes
Antichoking Poster
Yes
CO2 Tanks Secured
N/A

Violation

Category Repeat Violation Description/Remarks/Correction Schedule Correct By Corrected

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 02/09/2023 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

back kitchen area

6-501.111 The presence of insects, rodents, and other pests shall be controlled to minimize their 02/09/23 Priority Foundationpresence on the PREMISES. by:

- (A) Routinely inspecting incoming shipments of FOOD and supplies;
- (B) Routinely inspecting the PREMISES for evidence of pests;
- (C) Using methods, if pests are found, such as trapping devices or other means of pest control as specified.(Pf)
- (D) Eliminating harborage conditions.

Item(s): Pest(s) flies

Location: Dish washing Area Dish machine

Problem(s): Present in facility

Correction(s): Remove pests from facility.

2/9/2023 The

The presence of insects shall be controlled to minimize their presence on the premise by routinely inspecting the premises for evidence of pests, eliminating harborage conditions, using trapping devices, and working with a pest control operator if necessary.

Observed several flies present in the facility near the dishmachine with no trapping devices present. The floor sink beneath the dishmachine was observed to be severly soiled with an accumulation of food debris, which can contribute to harborage conditions for the flies and other pests.

Correct immediately by routinely inspecting the premises for evidence of pests, eliminating harborage conditions, using trapping devices, and working with a pest control operator.

Front Line

Core

6-501.11 PHYSICAL FACILITIES shall be maintained in good repair.

Item(s): Physical facilities

05/10/23

Last Routine: 08/18/2022

SFE 5081 056609 Einstein Bros. Bagels

2/9/2023 11:15:00 AM

Violation

Category Repeat Violation Description/Remarks/Correction Schedule Correct By

Corrected

Front Line

Problem(s): In poor repair Correction(s): Repair/replace.

2/9/2023

Physical facilities shall be maintained in a state of good repair.

Observed the ceiling tiles above the Toast-Qwik machine on the front line discolored (see attached photo).

Correct as soon as possible by replacing the above mentioned ceiling tiles.

Kitchen

6-501.12 Core

05/10/23 (A) PHYSICAL FACILITIES shall be cleaned as often as necessary to keep them

(B) Except spill cleanup, cleaning shall be done during periods when the least amount of FOOD is exposed such as after closing.

Physical facilities/structures Item(s):

Location: floor sink Problem(s): Soiled Correction(s): Keep clean.

2/9/2023

Physical facilities shall be maintained clean to sight and touch.

Observed the following areas throughout establishment/facility in need of cleaning:

- 1) The floor sink beneath the prep sink in the prep area near the shelving units observed with an accumulation of food and other debris (see attached photo).
- 2) The floor sink beneath the dish machine in the back kitchen area observed with an accumulation of food debris.

Correct as soon as possible by cleaning the above items throughout establishment/facility to sight and touch and maintaining clean at all times.

Closing Comments:

Any priority or priority foundation items shall be addressed/corrected immediately, which will be reinspected upon follow up within 10 days. Core items shall be addressed/corrected as soon as possible, which will be reinspected at the next routine inspection.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at http://ehs.umich.edu/campus-life-safety/food-safety/inspections/

SFE 5081 056609 Einstein Bros. Bagels

2/9/2023 11:15:00 AM

Violation Category

Repeat Violation Description/Remarks/Correction Schedule

Correct By

Corrected

Person in charge (Name and Title)

Inspected By (Name and Title)

Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.



