University of Michigan EH&S Ann Arbor, MI 48109-1010 (734)647-1142

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Blue Market at Bursley SFE 5081 029156 4/18/2023 12:00:00 PM

Last Routine: 10/14/2022

N/A

Bursley Hall

1931 Duffield

ZIP CODE NOT FOUND

Person In Charge (PIC): Laura Kokkales Establishment Phone: (734) 763-3449

INSPECTION TYPE: Manager Certified Yes License Posted Yes Routine Inspection Antichoking Poster Yes

Violation

Core

Category Repeat Violation Description/Remarks/Correction Schedule Correct By Corrected

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 4/18/2023 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Walk in Cooler

4-501.11 EQUIPMENT shall be maintained in a state of repair and condition that meets the 10/01/23

requirements of the code.

Item(s): equipment Problem(s): In poor repair Correction(s): Repair/replace.

4/18/2023 Equipment shall be maintained in a state of good repair.

Walk-in cooler is not able to keep TCS/PHF foods at 41 degrees F or below. Walk-in cooler

was not on during routine inspection.

Correct as soon as possible by repairing the above equipment items throughout the facility. According to PIC, walk-in cooler may not be repaired due to quoted cost for repair.

Closing Comments:

Core items shall be addressed/corrected as soon as possible, which will be reinspected at the next routine inspection.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at http://ehs.umich.edu/campus-life-safety/food-safety/inspections/

Person in charge (Name and Title)

Inspected By (Name and Title)

TUNG, MSES

CO2 Tanks Secured

Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.