

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Market Twenty 4 Seven (MSRB II)
MSRB II
1150 W. Medical Center Dr.
ZIP CODE NOT FOUND
Person In Charge (PIC): Joe Sak

SFE 5081 236255 7/27/2023 1:45:30 PM
Last Routine: 6/24/2022

Establishment Phone:

INSPECTION TYPE:
Routine Inspection

| | |
|--------------------|-----|
| Manager Certified | Yes |
| License Posted | Yes |
| Antichoking Poster | N/A |
| CO2 Tanks Secured | N/A |

| Violation Category | Repeat | Violation Description/Remarks/Correction Schedule | Correct By | Corrected |
|--------------------|--------|---|------------|-----------|
|--------------------|--------|---|------------|-----------|

This Facility was inspected by David Peters, a representative from University of Michigan, on 7/27/2023 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Self service area

| | | |
|------------------|---|----------|
| 4-602.12 Core | (A) The FOOD-CONTACT SURFACES of cooking and baking EQUIPMENT shall be cleaned at least every 24 hours. This section does not apply to hot oil cooking and filtering EQUIPMENT if it is cleaned as specified in Subparagraph 4-602.11(D)(6). (B) The cavities and door seals of microwave ovens shall be cleaned at least every 24 hours by using the manufacturer's recommended cleaning procedure. | 10/25/23 |
|------------------|---|----------|

Item(s): Microwave oven door seals and cavities
Location: Microwave oven(s)
Problem(s): Not cleaned
Correction(s): Clean as required above.

| | |
|-----------|---|
| 7/27/2023 | Cooking equipment, including interior cavities of microwaves, shall be cleaned to sight and touch at a frequency necessary to preclude buildup of food residue, debris and other potential contaminants, or at a minimum of every 24 hours. |
|-----------|---|

Observed both microwave ovens in the self service area with an excessive buildup of food debris in the cavities.

Correct as soon as possible by cleaning the inner cavities of the microwave ovens and maintaining clean at all times.

Closing Comments:

Area is under surveillance 24/7 without employees, therefore no signature obtained.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at <http://ehs.umich.edu/campus-life-safety/food-safety/inspections/>

| Violation Category | Repeat | Violation Description/Remarks/Correction Schedule | Correct By | Corrected |
|--------------------|--------|---|------------|-----------|
|--------------------|--------|---|------------|-----------|

Person in charge (Name and Title)

Inspected By (Name and Title)

 , REHS

David Peters

This signature does not imply agreement or disagreement with any violation noted.