## University of Michigan EH&S Ann Arbor, MI 48109-1010 (734)647-1142

## FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Maizie's Kitchen & Market SFE 5081 227308 9/19/2023 ma 00:80

Michigan League 911 N. University ZIP CODE NOT FOUND

Person In Charge (PIC): Peter Simone Establishment Phone: (734) 763-1050

**INSPECTION TYPE:** Follow Up Critical

Repeat Violation Description/Remarks/Correction Schedule Correct By Corrected Category

Corrected

09/18/23 09/19/23 4-501.112 In a mechanical operation, the temperature of the fresh hot water SANITIZING rinse as

Warewash Area it enters the manifold may not be more than 194 F, or less than 165 F for stationary Warewash Area rack machines or 180 F for all other machines to assure proper sanitizing of utensils.

09/19/2023 Location: dish machine(s) 09/19/2023

9/8/2023 Heat sensitive sticker did not indicate color change after four passes through dish machine.

> Correct immediately by repairing dish machine. In the meantime, dishware may be ran through the machine to wash and rinse, however must go through final sanitizing step utilizing the

sanitizing well at the 3-compartment sink.

9/13/2023

Heat sensitive sticker still did not indicate color change after three passes through dish machine. According to PIC, Hobart has serviced the machine once and changed a part since the last routine inspection.

Correct immediately by repairing dish machine. In the meantime, dishware may be ran through the machine to wash and rinse, however must go through final sanitizing step utilizing the sanitizing well at the 3-compartment sink.

9/19/2023

CORRECTED - Dish machine is properly rinsing as evidenced by heat sensitive sticker that hit

160 degrees F on first pass.

Coffee Station Coffee Station

4-601.11

(A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be clean to sight and touch. (Pf)

(B) The FOOD-CONTACT SURFACES of cooking EQUIPMENT and pans shall be

kept free of encrusted grease deposits and other soil accumulations.

(C) NonFOOD-CONTACT SURFACES of EQUIPMENT shall be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.

Food-contact surface(s) Item(s):

Problem(s): Soiled Correction(s): Keep clean.

9/8/2023 Food-contact surfaces of equipment shall be maintained clean to sight and touch at all times. 09/08/2023 09/08/2023

09/08/23

09/18/23

## SFE 5081 227308 Maizie's Kitchen & Market

9/19/2023 03:00 pm

Critical / Non-crit

Repeat Violation Description/Remarks/Correction Schedule

Correct By

Corrected

Observed soiled spigot on draft cold brew.

Correct immediately by cleaning spigot to sight and touch.

CORRECTED DURING ROUTINE INSPECTION - Draft cold brew spigot was cleaned to sight and touch.

## **Closing Comments:**

Priority foundation violations have been addressed/corrected.

Person in charge (Name and Title)

Inspected By (Name and Title)

Milvo, MSES

d. Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.