

## FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

**Panera Bread** **SFE 5081 248739 10/2/2023 03:00 pm**  
**Michigan Union**  
**530 S. State St.**  
**ZIP CODE NOT FOUND**  
**Person In Charge (PIC): Hadassah Anderson** **Establishment Phone: 734-436-7391**

INSPECTION TYPE:  
Follow Up Critical

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

**UnCorrected**

5-205.11		(A) A HANDWASHING SINK shall be maintained so that it is accessible at all times for EMPLOYEE use and used for no other purpose. (Pf)	09/15/23	
Front Prep Area		(B) An automatic handwashing facility shall be used in accordance with manufacturer's instructions. (Pf)		

**Item(s):** Handwashing sink(s)  
**Problem(s):** Not used according to manufacturer's label instructions  
**Correction(s):** Use according to manufacturer label directions.

9/5/2023 An automatic hand washing sink shall be used according to the manufacturer's instructions.  
 Front Prep Area - Observed front right hand washing sink does not activate automatically, and button located underneath hand washing sink needs to be pressed in order to activate the sink.

9/13/2023 Correct immediately by repairing/replacing hand washing sink to automatically dispense water.  
 Front right hand washing sink still is not automatically activated. According to PIC, work order has been placed and awaiting service.

10/2/2023 Front right hand washing sink still is not automatically activated. According to PIC, work order has been placed and awaiting service by Town Center.

**Closing Comments:**

Priority foundation violation 5-205.11 remains uncorrected. Additional follow up will warrant enforcement if this violation is not addressed/corrected.

Person in charge (Name and Title)



Inspected By (Name and Title)



\_\_\_\_\_  
This signature does not imply agreement or disagreement with any violation noted.

\_\_\_\_\_  
Nonda Mihos