University of Michigan EH&S Ann Arbor, MI 48109-1010 (734)647-1142

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Hibachi-San SFE 5081 204746 1/23/2024 11:00:00 AM **Pierpont Commons** Last Routine: 8/2/2023 2101 Bonisteel Blvd. ZIP CODE NOT FOUND Person In Charge (PIC): Kim Li Establishment Phone: (734) 769-6231 **INSPECTION TYPE:** Manager Certified Yes License Posted Yes Routine Inspection Antichoking Poster Yes CO2 Tanks Secured Yes Violation Category Repeat Violation Description/Remarks/Correction Schedule Correct By Corrected This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 1/23/2024 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended. **Closing Comments:** Equipment and manual reviewed and approved for Simplicity Bubbler R290 Crathco Cold Beverage Bubbler (Model: CS-3L-290). No violations observed during the routine inspection. UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at http://ehs.umich.edu/campus-life-safety/food-safety/inspections/ Person in charge (Name and Title) Inspected By (Name and Title) Milly, MSES

This signature does not imply agreement or disagreement with any violation noted.

Nonda Mihas