

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Market Twenty 4 Seven (SPH)
School of Public Health
1415 Washington Heights
ZIP CODE NOT FOUND
Person In Charge (PIC):

SFE 5081 354085 6/20/2024 9:00:00 AM
Last Routine: 6/20/2024

Establishment Phone:

INSPECTION TYPE:
 Routine Inspection

Manager Certified	Yes
License Posted	Yes
Antichoking Poster	N/A
CO2 Tanks Secured	No

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 6/20/2024 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Market 24/7

8-201.11	A PERMIT applicant or PERMIT HOLDER shall submit to the REGULATORY AUTHORITY properly prepared plans and specifications for review and approval before:	07/20/24
Priority Foundation	(A) The construction of a FOOD ESTABLISHMENT; (B) The conversion of an existing structure for use as a FOOD ESTABLISHMENT; or (C) The remodeling of a FOOD ESTABLISHMENT or a change of type of FOOD ESTABLISHMENT or FOOD operation as specified under # 8-302.14(C) if the REGULATORY AUTHORITY determines that plans and specifications are necessary to ensure compliance with this Code.	

Item(s): Plan(s)
Problem(s): Not submitted for approval before
Correction(s): Submit plans for approval prior to continuation of work.

6/20/2024	Plans must be submitted to the local health department and approved before construction, use of any new equipment, and any operational activities associated with that new equipment. Observed that establishment has new Bevi machine, which is currently 'out of Order", that was not in the scope of original construction (see attached photo). Correct immediately by ceasing and desisting the use of any equipment that has not been approved by the local health department. Specification sheet must be submitted and approved prior to using Bevi machine. Ensure that Bevi machine has backflow protection.
-----------	--

4-602.13	NonFOOD-CONTACT SURFACES of EQUIPMENT shall be cleaned at a frequency necessary to preclude accumulation of soil residues.	06/01/25
Core	Item(s): Nonfood contact surface(s) Problem(s): With accumulation of debris Correction(s): Keep clean.	

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

Market 24/7

6/20/2024 Nonfood-contact surfaces of equipment shall be cleaned to sight and touch on a regular basis to prevent harborage conditions, and accumulation of food, debris, and other contaminants.

1) Interior cabinet (located underneath coffee machine) is soiled with coffee grounds, specifically around waste container (see attached photo).

2) Coffee machine has excessive coffee ground accumulation underneath equipment. Pull machine out routinely for cleaning.

Correct as soon as possible by cleaning nonfood-contact surfaces of equipment to sight and touch on a regular basis to prevent harborage conditions and accumulation of food, debris, and other contaminants.

Closing Comments:

Follow up needed to address/reinspect priority foundation violation 8-201.11.

Secure CO2 tank located in cabinet underneath ICEE machine.

Area is under surveillance 24/7 without employees, therefore no signature obtained. Routine inspection report was emailed to Joe Sak, Derek Virzi, Jeremy Kinney, and Andrew Plets (Market Twenty 4 Seven) on 6/21/2024.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at <http://ehs.umich.edu/campus-life-safety/food-safety/inspections/>

Person in charge (Name and Title)

Inspected By (Name and Title)



Nonda Mihos

This signature does not imply agreement or disagreement with any violation noted.