

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Cliff Keen Arena (Sodexo)
Cliff Keen Arena
616 E. Hoover Ave.
ZIP CODE NOT FOUND

SFE 5081 029274 9/15/2024 2:00:00 PM
Last Routine: 11/03/2023

Person In Charge (PIC): Michael Pirlot

Establishment Phone: (734) 995-4661

INSPECTION TYPE:
Routine Inspection

Manager Certified	Yes
License Posted	Yes
Antichoking Poster	Yes
CO2 Tanks Secured	N/A

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 09/15/2024 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Concession stand

4-302.14	Chronic A test kit or other device that accurately measures the concentration in mg/L of SANITIZING solutions shall be provided. (Pf)	10/25/24
----------	---	----------

Item(s): Sanitizer test kit
Problem(s): Not provided At hand sink
Correction(s): Provide.

9/15/2024	Concession stand is hand pouring Ecolab Sink and Surface Cleaner and Sanitizer at the 3-compartment sink, however only have quaternary ammonia test strips. Obtain DDBSA/lactic acid test strips to effectively measure concentration of Ecolab Sink and Surface Cleaner and Sanitizer.
-----------	---

4-602.13	NonFOOD-CONTACT SURFACES of EQUIPMENT shall be cleaned at a frequency necessary to preclude accumulation of soil residues.	09/01/25
----------	--	----------

Core

Item(s): Nonfood contact surface(s)
Location: hand wash sink(s)
Problem(s): Soiled
Correction(s): Keep clean.

9/15/2024	Hand washing sink basin is in need of cleaning/sanitizing.
-----------	--

Closing Comments:

Women's volleyball vs. Oakland University.


Label wash, rinse, and sanitize sinks at the 3-compartment sink.

Additional follow up needed for priority foundation violation 4-302.14. Picture may be sent for correction.

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at <http://ehs.umich.edu/campus-life-safety/food-safety/inspections/>

Person in charge (Name and Title)



Inspected By (Name and Title)



This signature does not imply agreement or disagreement with any violation noted.

Nonda Mihas