

## FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

**Rackham 4th Floor Kitchen**  
**Rackham Graduate School**  
**915 E. Washington**  
**ZIP CODE NOT FOUND**

**SFE 5081 066752 7/17/2025 10:00:00 AM**  
**Last Routine: 1/23/2025**

**Person In Charge (PIC): Susan Campos**

**Establishment Phone: (734) 615-1995**

**INSPECTION TYPE:**

Routine Inspection

Manager Certified	N/A
License Posted	Yes
Antichoking Poster	Yes
CO2 Tanks Secured	N/A

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 7/17/2025 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

**Dishwashing Area**

4-501.114	<b>Chronic</b>	A chemical SANITIZER used in a SANITIZING solution for a manual or mechanical operation shall meet these limits or as otherwise approved: (P)	08/15/25
-----------	----------------	---	----------

Chlorine	ppm	pH<10	pH<8
25	120 F	120 F	
50	100 F	75 F	
100	55 F	55 F	

Iodine a concentration of between 12.5 and 25 ppm and minimum temp of 75 F and pH of 5 or less or meets manufacturer's specifications. (P)

Quats minimum temperature of 75 F, hardness of 500 ppm or less and meet manufacturers use directions. (P)

**Item(s):** Chlorine solution concentration

**Problem(s):** Below 50 ppm

**Correction(s):** Provide correct concentration as stated above.

7/17/2025	A warewash machine shall produce a sanitizing concentration that is the appropriate concentration.
-----------	--

Observed 0 ppm of chlorine at chemical dish machine that utilizes Ecolab Eco-San for sanitizing.

Correct immediately by repairing or adjusting equipment to produce a sanitizing solution that is an appropriate concentration. For chlorine, concentration should be between 50-100 ppm. Use test strips on daily basis to ensure each warewash machine is reaching those concentration targets.

**Closing Comments:**

Joint routine inspection conducted by Nonda Mihas, Jennifer Nord, and Ellie Holmes.

Recommend obtaining and using red buckets for sanitizing solution.

Report emailed to person in charge on 7/17/2025.

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

Person in charge (Name and Title)

Inspected By (Name and Title)



\_\_\_\_\_  
This signature does not imply agreement or disagreement with any violation noted.

\_\_\_\_\_  
Nonda Mihas