

## FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

**Market Twenty 4 Seven (UH South)**  
**UH South**  
**1500 E. Medical Center Dr.**  
**ZIP CODE NOT FOUND**  
**Person In Charge (PIC): Joe Sak**

**SFE 5081 252510 7/24/2025 08:15 am**

**Establishment Phone:**

**INSPECTION TYPE:**

Follow Up Critical

| Violation Category | Repeat | Violation Description/Remarks/Correction Schedule | Correct By | Corrected |
|--------------------|--------|---|------------|-----------|
|--------------------|--------|---|------------|-----------|

**Corrected**

|   |  |  |          |          |
|---|--|--|----------|----------|
| 4-204.111<br>Market 24/7<br>Market 24/7 |  | A machine vending POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall have an automatic control that prevents the machine from vending FOOD: if there is a power failure or vending unit does not maintain proper temperature. (P) | 06/30/25 | 07/24/25 |
|---|--|--|----------|----------|

|                       |                                |  |           |
|-----------------------|--------------------------------|--|-----------|
| <b>Item(s):</b>       | Automatic shut off             |  | 7/24/2025 |
| <b>Location:</b>      | Empty beer bottle storage area |  | 7/24/2025 |
| <b>Problem(s):</b>    | Not provided                   |  |           |
| <b>Correction(s):</b> | Provide.                       |  |           |

6/5/2025

Standing one-door reach-in cold-holding unit containing milks and other POTENTIALLY HAZARDOUS FOOD/TIME-TEMPERATURE CONTROL FOR SAFETY FOOD (e.g. Naked juices) does not have an automatic shutoff device (see attached photo).

Provide automatic shutoff device for cold-holding units containing POTENTIALLY HAZARDOUS FOOD/TIME-TEMPERATURE CONTROL FOR SAFETY FOOD, or recommend moving POTENTIALLY HAZARDOUS FOOD/TIME-TEMPERATURE CONTROL FOR SAFETY FOOD beverages (i.e. milks, Naked juices) in the cold-holding unit on the right to the cold-holding unit on the left that has an automatic lockout/shutoff device (see attached photo).

7/24/2025

ADDRESSED/CORRECTED - All standing one-door reach-in cold-holding units containing POTENTIALLY HAZARDOUS FOOD/TIME-TEMPERATURE CONTROL FOR SAFETY FOOD have an automatic lockout device.

**Closing Comments:**

Priority violation 4-204.111 from the routine inspection conducted on 6/05/2025 have been addressed/corrected.

Report emailed to person in charge and associated management team on 7/24/2025.

Person in charge (Name and Title)

Inspected By (Name and Title)

*N. Mihos, MSES*

This signature does not imply agreement or disagreement with any violation noted.

Nonda Mihos