University of Michigan EH&S Ann Arbor, MI 48109-1010 (734)647-1142

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Turner Senior Wellness Program Turner Senior Resource Center 2401 Plymouth Rd. Ste. C ZIP CODE NOT FOUND	SFE	5081	028717	7/23/2024 Last Routin	11:00:00 ne: 1/26/20		
Person In Charge (PIC): Shannon Etcheverry	Estab	olishmei	nt Phone:	734) 998-9352			
INSPECTION TYPE: Routine Inspection	Manager Certified License Posted Antichoking Poster CO2 Tanks Secured			Yes Yes Yes N/A	Yes Yes		
Violation Category Repeat Violation Description/Remarks/Correction Schedule				Correct	By Co	orrected	

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 7/23/2024 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Kitchen

4-501.11 Core	Repeat EQUIPMENT shall be maintained in a state of repair and condition that meets the requirements of the code.	10/21/24

Item(s):Equipment components sealsLocation:Refrigerator unit(s)Problem(s):In poor repair Open seamsCorrection(s):Repair/replace.

7/23/2024 Equipment shall be maintained in a state of good repair.

Observed gasket has become unsealed on refrigeration unit in the kitchen area.

Correct as soon as possible by repairing/replacing unsealed gasket on refrigeration unit.

Closing Comments:

Core violation shall be addressed/corrected as soon as possible, which will be reinspected at the next routine inspection.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at http://ehs.umich.edu/campus-life-safety/food-safety/inspections/

Person in charge (Name and Title)

Inspected By (Name and Title)

ling, MSES

This signature does not imply agreement or disagreement with any violation noted.

Nonda Mihas