

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

MCRU Metabolic Kitchen
CVC (Room 1702D)
1500 E Medical Center Dr
ZIP CODE NOT FOUND

SFE 5081 353011 2/6/2025 1:28:21 PM
Last Routine: 08/14/2024

Person In Charge (PIC): Cathy Sanborn

Establishment Phone:

INSPECTION TYPE:
Routine Inspection

Manager Certified	No
License Posted	No
Antichoking Poster	No
CO2 Tanks Secured	No

Violation				
Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected

This Facility was inspected by Jennifer Nord, a representative from University of Michigan, on 02/06/2025 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

Entire establishment

4-601.11	(A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be clean to sight and touch. (Pf)	02/06/25
Priority Foundation	(B) The FOOD-CONTACT SURFACES of cooking EQUIPMENT and pans shall be kept free of encrusted grease deposits and other soil accumulations.	
	(C) NonFOOD-CONTACT SURFACES of EQUIPMENT shall be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.	

Item(s): Food-contact surface(s)
Problem(s): Soiled
Correction(s): Keep clean.

2/6/2025	THE DOOR FRAME THAT MEETS THE GASKET IS SOILED ON THE UNDER COUNTER COOLER. CLEAN THIS AREA THOROUGHLY.
----------	---

Closing Comments:

The dish machine is functioning properly.

UM EH&S is now listing routine inspection reports for all campus food establishments on-line. Reports can be viewed at <http://ehs.umich.edu/campus-life-safety/food-safety/inspections/>

Person in charge (Name and Title)



Inspected By (Name and Title)



Jennifer Nord

This signature does not imply agreement or disagreement with any violation noted.