

FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Maize & Blue Cupboard
Betsy Barbour Residence Hall
420 S. State St.

SFE 5081 127472 5/26/2026 11:00:00 AM
Last Routine: 11/7/2025

ZIP CODE NOT FOUND

Person In Charge (PIC): Kelly O'Mara

Establishment Phone: 734-699-4181

INSPECTION TYPE:

Routine Inspection

Manager Certified Yes
License Posted Yes
Antichoking Poster N/A
CO2 Tanks Secured N/A

Violation

Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
----------	--------	---	------------	-----------

This Facility was inspected by Jennifer Nord, a representative from University of Michigan, on 5/26/2026 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

back kitchen area

7-204.11 Priority Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT SURFACES shall meet the requirements specified in this code. (P) 05/26/26

Item(s): Sanitizer(s)
Location: 3-compartment sink

5/26/2026 Chemical sanitizers must be used according to manufacturer's labels.

Ecolab Sink and Surface Sanitizer was observed to be dispensing at a lower concentration than needed for sanitizing, as evidenced by test strip.

Correct immediately by repairing or replacing sanitizing dispenser such that it dispenses sanitizer diluted to the appropriate concentration to be used for sanitizing on nonfood-contact surfaces and food-contact surfaces of equipment. Use test strips regularly to ensure proper concentrations are achieved.


Closing Comments:

Joint routine inspection conducted by Jennifer Nord and Ellie Holmes. This report was emailed on May 26, 2026.

Please email EHS Food Safety with updates on freezer repair/replacement and construction project.

Person in charge (Name and Title)

Inspected By (Name and Title)



Jennifer Nord

This signature does not imply agreement or disagreement with any violation noted.