

### FOOD ESTABLISHMENT INSPECTION REPORT

Based on an evaluation this day, the items marked below are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-405.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

**UM Soccer Stadium**  
**UM Soccer Stadium**  
**2250 South State Street**  
**ZIP CODE NOT FOUND**

**SFE 5081 068361 9/21/2025 12:30:00 PM**  
**Last Routine: 09/08/2024**

**Person In Charge (PIC): Angela Mercer**

**Establishment Phone: (734) 660-2697**

**INSPECTION TYPE:**  
Routine Inspection

Manager Certified Yes  
License Posted Yes  
Antichoking Poster Yes  
CO2 Tanks Secured N/A

Violation Category	Repeat	Violation Description/Remarks/Correction Schedule	Correct By	Corrected
--------------------	--------	---	------------	-----------

This Facility was inspected by Nonda Mihas, a representative from University of Michigan, on 09/21/2025 to determine the level of compliance with the Michigan Food Law, P.A. 92 of 2000, as amended.

#### Concession stand

4-601.11 (A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be clean to sight and touch. (Pf) 12/20/25  
Core (B) The FOOD-CONTACT SURFACES of cooking EQUIPMENT and pans shall be kept free of encrusted grease deposits and other soil accumulations.  
(C) NonFOOD-CONTACT SURFACES of EQUIPMENT shall be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.

**Item(s):** Non-food contact surface(s)  
**Location:** 1-door cooler(s)  
**Problem(s):** Soiled  
**Correction(s):** Keep clean.

9/21/2025 Nonfood-contact surfaces of equipment shall be clean to sight and touch.

Concession Stand - Observed food residue on the interior bottom cavity of standing one-door reach-in cooler in the back kitchen area (see attached photo). Clean/sanitize interior bottom cavity of standing one-door reach-in cooler to sight and touch, and maintain clean.

#### Closing Comments:

Routine inspection conducted at women's soccer vs. UCLA.

Report was sent to person in charge via email.

Person in charge (Name and Title)

Inspected By (Name and Title)



Nonda Mihas

This signature does not imply agreement or disagreement with any violation noted.